Material Safety Data Sheet

EU Regulation: 1907/2006

.1 RODUCT IDENTIFICATION				
PRODUCT NAME	Essential oil - Oregano - Etherische olie - Oregano			
BIOLOGICAL DEFINITION	ORIGANUM VULGARE OIL IS THE VOLATILE OIL OBTAINED FROM THE WHOLE PLANT OF THE WILD MARJORAM, ORIGANUM VULGARE L., LABIATAE.			
INCI NAME	ORIGANUM VULGARE OIL			
SYNONYMS & TRADE NAMES	N/A			
INTERNAL PRODUCT CODE	SQ0150328 - EO057			
CAS-No	84012-24-8 EC No. 281-670-3 EINECS No. 281-670-3			
.2				
PETAILS OF THE SUPPLIER OF THE SAFETY DAT	TA SHEET			
	SoapQueen vof Veilingdreef 20, 4614RX Bergen op Zoom, Nederland			
COMPANY ADDRESS	Veilingdreef 20, 461	14KA berger	. ор 200, г томогтили	
	Veilingdreef 20, 461	14KA berger	- op 200m/	
COMPANY ADDRESS 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DA		14KA berger		

.1	Turning Total Control of the Control	
LASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (EU1272/2008)	PHYSICAL AND CHEMICAL: HAZARDS NOT CLASSIFIED. HUMAN HEALTH: ACUTE TOX. 4 – H302, ASP. TOX. 1 - H304, SKIN CORR. 1 – H314, SKIN SENS. 1B - H317, EYE DAM. 1 – H318, REPR. 2 – H361 ENVIRONMENT: AQUATIC CHRONIC 2 - H411	
2.2 ABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.	
GHS LABEL	GHs05 GHS07 GHS08 GHS09	
Signal Word	DANGER.	
Contains	CARVACROL.	
HAZARDS STATEMENT	H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
Precautionary Statements	P 261 AVOID BREATHING VAPOURS/SPRAY. P 273 AVOID RELEASE TO THE ENVIRONMENT. P 280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P 301+P 310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. P 303+P 361+P 353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER P 304+P 340 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. P 305+P 351+P 338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF P RESENT AND EASY TO DO. CONTINUE RINSING. P 308+P 313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION. P 391 COLLECT SPILLAGE. P 501 DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION.	
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264 - WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING. P330 - RINSE MOUTH. P332+P313 - IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.	
ection 16 (Other Information): Risk & Safety phrases	5 IN FULL.	
2.3 Other Hazards		
Adverse Physio-Chemical properties	NO DATA	
Adverse effects on human health	NO DATA.	
PBT OR VPVB ACCORDING TO ANNEX XIII	PRODUCT FAILS TO MEET PBT/VPVB CRITERIA.	

	60.0 – 80.0% CARVACROL CAS NO: 499-75-2 EC NO: 207-889-6 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, SKIN CORR. 1 - H314, EYE DAM. 1 - H318, AQUATIC CHRONIC 2 - H411 7.0 – 10.0% PARA-CYMENE CAS NO: 99-87-6 EC NO: 202-796-7 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 – H304, REPR. 2 - H361, AQUATIC CHRONIC 2 - H411 3.0 – 8.0% GAMMA-TERPINENE CAS NO: 99-85-4 EC NO: 202-794-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, REPR. 2 - H361, AQUATIC CHRONIC 2 - H411 1.0 – 3.0% ALPHA-TERPINENE CAS NO: 99-86-5 202-795-1 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319, AQUATIC CHRONIC 2 - H411
	1.0 – 3.0% BETA-CARYOPHYLLENE CAS NO: 87-44-5 EC NO: 201-746-1 CLASSIFICATION (EC 1272/2008) ASP. TOX. 1 - H304, SKIN SENS. 1B - H317, AQUATIC CHRONIC 4 - H413 1.0 – 3.0% MYRCENE CAS NO: 123-35-3 EC NO: 204-622-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315,
3.2 MIXTURES	EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410 \$\leq 3.0\% alpha-Pinene
	≤ 3.0% LINALOOL CAS NO: 78-70-6 EC NO: 201-134-4 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319 ≤ 1.0% D-LIMONENE CAS NO: 5989-27-5 EC NO: 227-813-5
	CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410 ≤ 1.0% 1,8-CINEOL CAS NO: 470-82-6 EC NO: 207-431-5
	CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN SENS. 1B - H317 ≤ 1.0% CAMPHENE CAS NO: 79-92-5 EC NO: 201-234-8 CLASSIFICATION (EC 1272/2008) FLAM. SOL. 1 - H228, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410
	≤ 1.0% THYMOL CAS NO: 89-83-8 EC NO: 201-944-8 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, SKIN CORR.1B - H314, AQUATIC CHRONIC 2 - H411
	≤ 0.3% CITRAL CAS NO: 5392-40-5 EC NO: 226-394-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319

SECTION 4: FIRST AID MEASURES	
4.1	
DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION. INGESTION MAY CAUSE NAUSEA AND VOMITING.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	ACUTE AND DELAYED EFFECTS ARE INDICATED IN SECTIONS 2 AND 11.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.

SECTION 5: FIRE FIGHTING MEASURES	
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO HEALTH. DO NOT BREATHE IN SMOKE. THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES: CARBON DIOXIDE (CO2), CARBON MONOXIDE (CO), OTHER TOXIC GASES. CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.
5.3	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEASUR	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.
6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	ABSORB WITH INERT, NON-COMBUSTIBLE, INORGANIC ABSORBENT MATERIAL (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE). SWEEP UP AND REMOVE TO AN APPROVED DISPOSAL CONTAINER. DO NOT ABSORB IN SAWDUST OR OTHER COMBUSTIBLE ABSORBENTS. FOR ANY CONCERN RELATED TO DISPOSAL CONSULT SECTION 13.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.
REFERENCES TO OTHER SECTIONS	REPER & CONSIDER SECTION 13.
7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 SPECIFIC END USE(S)	NO DATA.
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	
8.1 CONTROL PARAMETERS	No Data.
8.2 EXPOSURE CONTROLS	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
RESPIRATORY EQUIPMENT	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering

	CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
Engineering Measures	ADEQUATE VENTILLATION REQUIRED.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
Process Conditions	Ensure area is well ventilated. Avoid vapour inhalation. Safety shower & Eye Bath.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES		
9.1 PHYSICAL & CHEMICAL PROPERTIES		
Appearance	MOBILE LIQUID	
COLOUR	ALMOST COLOURLESS TO AMBER TO BROWN.	
Odour	CHARACTERISTIC, SPECY AROMATIC.	
RELATIVE DENSITY	APPROX. 0.945 @ 20°C	
FLASH POINT (°C)	71°C	
Refractive Index @ 20 °C	APPROX. 1.510 @ 20°C	
Solubility in water @ 20 $^{\circ}$ C	NO DATA.	
AUTO-IGNITION TEMPERATURE (°C)	225°C	
9.2 OTHER INFORMATION	NO ADDITIONAL DATA AVAILABLE.	
SECTION 10: STABILITY & REACTIVITY		
10.1 REACTIVITY	NO HAZARDOUS REACTIONS IF STORED AND HANDLED AS PRESCRIBED / INDICATED.	
10.2 CHEMICAL STABILITY	Stable under suggested storage conditions (<15°C).	
10.3 Possibility of hazardous reactions	No.	
10.4 CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C OR IN DIRECT SUNLIGHT.	
10.5 INCOMPATIBLE MATERIALS	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.	
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.	

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 TOXICOLOGICAL EFFECTS		
Acute Toxicity	HARMFUL IF SWALLOWED.	
Skin irritation	CAUSES SEVERE SKIN BURNS.	

	T
EYE DAMAGE OR IRRITATION	CAUSES SERIOUS EYE DAMAGE.
RESPIRATORY OR SKIN SENSITIVITY	IN HIGH CONCENTRATIONS, VAPOURS MAY IRRITATE THROAT AND RESPIRATORY SYSTEM AND CAUSE COUGHING.
GERM CELL MUTAGENICITY	NO ADDITIONAL DATA AVAILABLE.
CARCINOGENICITY	NO ADDITIONAL DATA AVAILABLE.
REPRODUCTIVE TOXICITY	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.
STOT – SINGLE EXPOSURE	NO ADDITIONAL DATA AVAILABLE.
STOT — REPEATED EXPOSURE	NO ADDITIONAL DATA AVAILABLE.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
OTHER INFORMATION	NO ADDITIONAL DATA AVAILABLE.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity	THE PRODUCT CONTAINS A SUBSTANCE WHICH IS TOXIC TO AQUATIC ORGANISMS AND WHICH MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
12.2 PERSISTENCE & DEGRADABILITY	NO DATA.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO DATA.
12.4 Mobility in soil	NO DATA.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	PRODUCT FAILS TO MEET PBT/VPVB CRITERIA.
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT. SOILED PACKAGING: EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.

SECTION 14: Transport Information		
14.1 TRANSPORT INFORMATION		
	ROAD: 1760	
UN NUMBER	RAIL: 1760	
	AIR: 1760	
14.2 UN SHIPPING NAME	CORROSIVE LIQUID, N.O.S.	
	ADR/RID	
	ADR/RID – CLASS 8	
14.3	ADR CLASSIFICATION CODE – C9	
TRANSPORT HAZARD CLASS(ES)	SPECIAL PROVISIONS – 274	
	LIMITED QUANTITIES – 1L	
	EXPECTED QUANTITIES – E2	

EMERGENCY ACTION CODE - 2X TUNNEL RESTRICTION CODE — E IMDG IMDG - CLASS 8 SPECIAL PROVISIONS - 274 LIMITED QUANTITIES - 11 EXPECTED QUANTITIES - E2 IMDG EMS - F-A,S-B STOWAGE AND HANDLING - CATEGORY B SW2 ICAO/IATA ICAO/IATA – CLASS 8 IATA PROPER SHIPPING NAME - CORROSIVE LIQUID, N.O.S. EXPECTED QUANTITIES - E2 TRANSPORT LABELS ADR/RID/ADN PACKING GROUP 14.4 IMDG PACKING GROUP Ш PACKING GROUP ICAO PACKING GROUP Ш ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT 14.5 **ENVIROMENTAL HAZARDS** 14.6 SEE SECTIONS 6 -8. **SPECIAL PRECAUTIONS FOR USER** TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC NOT APPLICABLE. CODE. **SECTION 15: REGULATORY INFORMATION** PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION REGULATION (EC) NO 1907/2006 of the European Parliament and of the council of 18^{th} DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE **EU DIRECTIVES** 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS). THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 **STATUTORY INSTRUMENTS** No 716). CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA APPROVED CODE OF PRACTICE SHEETS FOR SUBSTANCES & PREPARATIONS. **GUIDANCE NOTES** WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108. 15.2 NO ADDITIONAL INFORMATION AVAILABLE. **CHEMICAL SAFETY ASSESSMENT**

	H226 FLAMMABLE LIQUID AND VAPOUR.
	H228 FLAMMABLE SOLID.
	H302 HARMFUL IF SWALLOWED.
	H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
	H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
	H315 CAUSES SKIN IRRITATION.
Hazard and/ or Precautionary Statements in full	H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.
	H400 VERY TOXIC TO AQUATIC LIFE.
	H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H413 MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC LIFE.

Training Instructions: Refer to possible hazard before use of this product.

ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN
	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
Trem Card	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10™ APRIL 2018	Data Launch
DECEMBER 2020	Review